

Current Section B Uniform Regulation for the Method of Sale of Commodities	Current Section G Uniform Engine Fuels and Automotive Lubricants Regulation	Proposed Section B MOS	Proposed for Section G FAL
	<b>3.10. Liquefied Petroleum Gas (LPG).</b>	<b><u>3.XX. Liquefied Petroleum Gas (LPG).</u></b>	<b>3.10. Liquefied Petroleum Gas (LPG).</b>
	<b>3.10.1. How LPG is to be Identified.</b> – Liquefied petroleum gases shall be identified by grades Commercial Propane, Commercial Butane, Commercial PB Mixtures or Special-Duty Propane (HD5).	<b><u>3.XX.1. How LPG is to be Identified.</u></b> – <b><u>Liquefied petroleum gases shall be identified by grades Commercial Propane, Commercial Butane, Commercial PB Mixtures or Special-Duty Propane (HD5).</u></b>	<b>3.10.1. How LPG is to be Identified.</b> – Liquefied petroleum gases shall be identified by grades Commercial Propane, Commercial Butane, Commercial PB Mixtures or Special-Duty Propane (HD5).
<b>2.21. Liquefied Petroleum Gas.</b> – All liquefied petroleum gas, including, but not limited to propane, butane, and mixtures thereof, shall be kept, offered, exposed for sale, or sold by the pound, metered cubic foot <sup>[NOTE 7, page 125]</sup> of vapor (defined as 1 ft <sup>3</sup> at 60 °F [15.6 °C]), or the gallon (defined as 231 in <sup>3</sup> at 60 °F [15.6 °C]). All metered sales by the gallon, except those using meters with a maximum rated capacity of 20 gal/min or less, shall be accomplished by use of a meter and device that automatically compensates for temperature. (Added 1986)		<b><u>3.XX.2. Liquefied Petroleum Gas.</u></b> – <b><u>All liquefied petroleum gas, including, but not limited to propane, butane, and mixtures thereof, shall be kept, offered, exposed for sale, or sold by the pound, metered cubic foot <sup>[NOTE Z, page YYY]</sup> of vapor (defined as 1 ft<sup>3</sup> at 60 °F [15.6 °C]), or the gallon (defined as 231 in<sup>3</sup> at 60 °F [15.6 °C]). All metered sales by the gallon, except those using meters with a maximum rated capacity of 20 gal/min or less, shall be accomplished by use of a meter and device that automatically compensates for temperature.</u></b> (Added 1986)	<b><u>3.10.2. Liquefied Petroleum Gas.</u></b> – <b><u>All liquefied petroleum gas, including, but not limited to propane, butane, and mixtures thereof, shall be kept, offered, exposed for sale, or sold by the pound, metered cubic foot <sup>[NOTE Z, page YYY]</sup> of vapor (defined as 1 ft<sup>3</sup> at 60 °F [15.6 °C]), or the gallon (defined as 231 in<sup>3</sup> at 60 °F [15.6 °C]). All metered sales by the gallon, except those using meters with a maximum rated capacity of 20 gal/min or less, shall be accomplished by use of a meter and device that automatically compensates for temperature.</u></b> (Added 1986)
<b>NOTE 7:</b> Sources: American National Standards Institute, Inc., “American National Standard for Gas Displacement Meters (500 Cubic Feet per Hour Capacity and Under),” First edition, 1974, and NIST Handbook 44, “Specifications, Tolerances, and Other Technical		<b><u>NOTE Z:</u></b> Sources: <b><u>American National Standards Institute, Inc., “American National Standard for Gas Displacement Meters (500 Cubic Feet per Hour Capacity and Under),” First edition, 1974, and NIST Handbook 44, “Specifications, Tolerances, and Other Technical</u></b>	<b><u>NOTE Z:</u></b> Sources: <b><u>American National Standards Institute, Inc., “American National Standard for Gas Displacement Meters (500 Cubic Feet per Hour Capacity and Under),” First edition, 1974, and NIST Handbook 44, “Specifications, Tolerances, and Other Technical</u></b>

<i>Requirements for Weighing and Measuring Devices.”</i>		<b><u>Requirements for Weighing and Measuring Devices.”</u></b>	<b><u>Requirements for Weighing and Measuring Devices.”</u></b>
	<b>3.10.2. Retail Dispenser Labeling.</b> – Each retail dispenser of LPGs shall be labeled as “Commercial Propane,” “Commercial Butane,” “Commercial PB Mixtures,” or “Special-Duty Propane (HD5).”	<b><u>3.10.2. Retail Dispenser Labeling.</u></b> – <b><u>Each retail dispenser of LPGs shall be labeled as</u></b> <b><u>“Commercial Propane,”</u></b> <b><u>“Commercial Butane,”</u></b> <b><u>“Commercial PB Mixtures,” or</u></b> <b><u>“Special-Duty Propane (HD5).”</u></b>	<b>3.10.32. Retail Dispenser Labeling.</b> – Each retail dispenser of LPGs shall be labeled as “Commercial Propane,” “Commercial Butane,” “Commercial PB Mixtures,” or “Special-Duty Propane (HD5).”
	<b>3.10.3. Additional Labeling Requirements.</b> – LPG shall be labeled with its automotive fuel rating in accordance with 16 CFR Part 306.	<b><u>3.10.3. Additional Labeling Requirements.</u></b> – <b><u>LPG shall be labeled with its automotive fuel rating in accordance with 16 CFR Part 306.</u></b>	<b>3.10.43. Additional Labeling Requirements.</b> – LPG shall be labeled with its automotive fuel rating in accordance with 16 CFR Part 306.
	<b>3.10.4. NFPA Labeling Requirements Also Apply.</b> (Refer to the most recent edition of NFPA 58.)	<b><u>3.10.4. NFPA Labeling Requirements Also Apply.</u></b> <b><u>(Refer to the most recent edition of NFPA 58.)</u></b>	<b>3.10.54. NFPA Labeling Requirements Also Apply.</b> (Refer to the most recent edition of NFPA 58.)